DATASHEET

MAXDAO

Self-Locking Cable Clamp, for 6-9+9-14+2x15-25mm, M Type

- Easy and quick installation •
- Robust design & material for outdoor use •
- Operation Temperature -40~85 ℃ •
- Hooking on round ø 8-25 and flat 3-25 mm

Product Classification		
Material Code		6006543
Part Number		-
Status		Active
Detail Description		Self-Locking Cable Clamp for 6-9+9-14+2x15-25 mm Hooking on round ø 8-25 and flat 3-25 mm
General Specifications		
Metal Parts		Stainless +PA6
Cables per hanger		6-9+9-14+2x15-25 mm
Color		Black
Dimensions		
Height		219 mm 8.60 in
Width		40.6 mm 1.59 in
Length		45 mm 1.77 in
Compatible cable OD, maximum		25 mm
Compatible cable OD, minimum		6 mm
Environmental Specificat	ions	
UV Test		≥720 Hours,base on ISO4892.3-1994
Salt spray test for metal parts		≥96 Hours,base on ISO 9227: 2017
Vibration test		≥6Hours,base on IEC 60068-2-6-2007
Operating temperature		-40°C ~ 85°C
Packaging and Weights		
Width, packed		120 mm 4.72 in
Length, packed		300 mm 11.81 in
For more information, please visit: www.maxdao.com	©Copyright 2023 Maxdao Inc. All rights reserved. Page 1 of 2 The information contained herein is subject to change without notice. We reserve the right to make technical changes or modify the contents of this document without prior notice.	

DOOC#ITM-04-01, Version:A/2, Updated:02/25/2023



The information contained herein is subject to change without notice. We reserve the right to make technical changes or modify the contents of this document without prior notice. Released: Feb 28, 2023

Public

DATASHEET



Packaging Quantity and UOM	1 pcs	
Weight, gross	0.199 kg 0.438 lb	
Certifications and Compliance		
ISO 9001:2015	Designed, manufactured and/or distributed under this quality management system	
ROHS	Compliant	

For more information, please visit: www.maxdao.com



©Copyright 2023 Maxdao Inc. All rights reserved. The information contained herein is subject to change without notice. We reserve the right to make technical changes or modify the contents of this document without prior notice. Released: Feb 28, 2023 Public