

Angle Adapter Kit, With 3/8" Square Bolt, 3/8" Slotted Hex Bolt, 3/8" Spring Washer, Insert

- Manufactured by stainless steel
- Excellent for outdoor & indoor use



Product Classification		
Item Number	6004919	
Part Number	-	
Detail Description	Angle adapter kit, with 3/8" square Bolt, 3/8" slotted hex bolt, 3/8" spring washer, 3/4" to 3/8" universal angle adapter insert	
General Specifications		
Material	Stainless steel 304	
Color	Natural	
Mounting Hole	3/8 in-16UNC tapped hole	
Attachment Mounting Hole	3/4 in through hole	
Max Mounting Structure Width	14 mm	
Dimensions		
Slotted Hex Bolt Size	3/8 in-16UNC X 3/4 in	
Square Bolt Size	3/8 in-16UNC X 1-3/4 in	
Soring Washer Size	3/8 in	
Tapped Insert Size	3/8 in-16UNC	
Angle Adapter Height	52.8 mm 2.08 in	
Angle Adapter Width	45.2 mm 1.78 in	
Angle Adapter Length	49.0 mm 1.93 in	
Environmental Specifications		
Corrosion Resistance	\geqslant 96 hours in salt spray chamber, base on IEC 60068-2-11	
Packaging and Weights		
Height, Packed	320 mm 12.598 in	
Width, Packed	220 mm 8.661 in	

For more information, please visit: www.maxdao.com

 \boxtimes

(in

©Maxdao Inc. All rights reserved.

The information contained herein is subject to change without notice. We reserve the right to make technical changes or modify the contents of this document without prior notice. Revised: Aug 21, 2024 Public

MAXDAO

DA	ΤA	SF	IEE	ΞТ

Included	One angle adapter One square Bolt One slotted hex bolt One spring washer Two universal angle adapter insert		
UOM	Kit		
Packaging	Bag		
Weight, Gross	0.187 kg 0.413 lbs		
Certifications and Compliance			
ISO 9001:2015	Designed, manufactured and/or distributed under this quality management system		
RoHS	Compliant		

Page 2 of 2

For more information, please visit: www.maxdao.com

Î \boxtimes

©Maxdao Inc. All rights reserved. The information contained herein is subject to change without notice. We reserve the right to make technical changes or modify the contents of this document without prior notice. Revised: Aug 21, 2024 Public