

## Strain Relief Grip, Deluxe Cord, NPT 1/2", Straight Male, Cable Range 0.250-0.375"

- For indoor and outdoor where cables or wires are exposed to moisture or are frequently washed.
- Prevents severe cord bending and pull-out.
- Helps eliminate direct tension from terminals and • remove strain from critical electrical connection
- Multi-weave provides easy cable installation •
- UL, CE certified •



Product Classification	
Material Code	6003263
Part Number	DCG406
Status	Active
Detail Description	Strain relief grip, deluxe cord, NPT 1/2", straight male, cable range 0.250-0.375"
Product Details	
Cable Range	0.250-0.375 in   6.35-9.53 mm
Thread Size	NPT 1/2"
Mesh Length	4.25 in   107.8 mm
Mesh Material	Stainless Steel
Body Material	Aluminum
Performance	
Flammability	UL 94HB & UL 94V-2
Hazardous Locations	Suitable for use in hazardous locations per Class I, Div. 2; Class II, Div. 1 & 2; and Class III, Div. 1 & 2
Operating Temperatures	-34 °C to +115 °C (-30 °F to +240 °F)
Wet Locations	Suitable for use in wet locations when used with a listed sealing ring between box and fitting
Packaging Details	
Packaging Quantity	1 pcs
Weight, gross	0.092 lb   0.041 kg
Certifications	
ISO 9001:2015	Designed, manufactured and/or distributed under this
	quality management system
RoHS	Compliant
UL	Compliant
For more information, please visit: www.maxdao.com	©Copyright 2023 Maxdao Inc. All rights reserved. Page 1 of 2 The information contained herein is subject to change without notice. We reserve the right to make technical changes or modify the contents of this decimate without prior paties.

fin  $\bowtie$  changes or modify the contents of this document without prior notice.

Public

Revised: Feb 20, 2023

DATASHEET

CE

Compliant



Page 2 of 2

For more information, please visit: www.maxdao.com

in

©**Copyright 2023 Maxdao Inc. All rights reserved.** The information contained herein is subject to change without notice. We reserve the right to make technical changes or modify the contents of this document without prior notice. Revised: Feb 20, 2023 Public

 $\square$